Aim:

generation of large MC samples of

- "Generic" b production, un-decayed
- "Specific" samples of bb / (cc) hadronic triggers (full simulation)
 - Generator: PYTHIA
 - Decayer: QQ
 - Realistic simulation
- Use dedicated cdfa (UK) (fcdflnx2 equivalent)

News and status on web page:

http://www-cdf.fnal.gov/internal/people/links/ SaverioDAuria/mc_status_bb.html

- 75 k events **fully simulated** as run 142110 passing TTT loose cuts (3 days on dedicated cdfa)
- 25 k went through production 4.9.0

Validation in progress:

- At low level: SiliMon,SiHitAnalyzer (Saverio, (Matt))→ Silicon coverage, hits, charge
- beam line position (Alex ?)
- At physics level: may be Ivan Vila?

Data are rootd-accessible from

```
fcdfdata007. fnal . gov:
/cdf/scratch/dauri a/bbPythi a490/
pythi a_bb_prod_208_*. prod
```

- Corrections and upgrades from previous sample:
 - Silicon noise correctly simulated
 - Displaced vertex using DB and GenPrimVertMods
 - Silicon mis-alignment in Simulation (for sytsim)

• In progress:

- Full trigsim (in particular svtsim)
- Event filtering based on trigsim

• Plan:

- Simulate multiple runs
- Simulate multiple runs in the same job, weighted by their luminosity
- Complete validation on 142110
- Enter sample in DataFileCatalog
- Generate l+svt test sample
- Generate cc test sample

Problems with 4.9.0:

NONE

....So far

(problem with MISL banks in 4.9.0 did not affect densely populated Pythia events)

SiliMon

Montecarlo



